

# LISA<sup>®</sup> 25



RADIATORS, CONVECTORS AND  
CEILING-MOUNTED RADIANT  
PANELS, HOT WATER HEATING,  
FAN ASSISTED AND MIXED



Functioning:	<input checked="" type="checkbox"/> <b>HOT WATER</b>	<input checked="" type="checkbox"/> <b>DUAL ENERGY</b> <small>(for dual energy kit see Cordivari Radiators and Towel Rails catalogue)</small>
--------------	--	--

<b>Max pressure:</b> 8 bar	<b>Max temperature:</b> 110 °C	<b>Connections:</b> 2 x 1/2" gas- 1 da 1/2" gas for airvent
----------------------------	--------------------------------	---

## Material:

- Vertical collectors in painted mild steel semi oval 30x40 mm
- Horizontal heating elements in painted mild steel ø 25 mm

## Fixing kit:

The fixing kit is in compliance with norm VDI 6036 Class 1-2-3-4 that guarantees maximum resistance, security and stability of the towel rail. Each kit includes brackets, Airvent, hexagonal tool, plugs and screws suitable for use on either compact or hollow brick walls. For a correct assembly always refer to the user manual supplied.



## Packing:

Carton angular and profiles protected by a recyclable film in polyethylene. User notice included.

## Painting process:

Painted with ecological epoxy powders. (Certificate DIN 55900-1,-2).

## Colour:

Pure white RAL 9010

## ACCESSORIES



KRISTAL VALVES -  
WHITE COLOUR

For information about Kristal valves, see radiators and towel rails catalogue.



KIT 2 HOOKS WHITE  
COLOUR


Art. nr. 5991990310171



TOWEL BAR  
WHITE COLOUR  
Width= 370 mm

Art. nr. 5991990310170

Applicable only for width ≥ 450 mm

**LISA® 25**

			STANDARD PIPE CENTRES	PIPE CENTRES 50 MM	LATERAL CONNECTION	Colour PURE WHITE R01-RAL 9010.					Dual energy kit
Height [mm]	Width L [mm]	Pipe Centres I [mm]	Art. nr.	Art. nr.	Art. nr.	Dry weight [Kg]	Surface [m²]	Water content [lit]	Δt=50°C [Watt]	Exponent [n]	[Watt]
760	400	350	3551586100201	3551586100251	3551586100401	5,1	0,57	3,4	317	1,2169	300
	450	400	3551586100202	3551586100252	3551586100402	5,6	0,62	3,7	348	1,2179	400
	500	450	3551586100203	3551586100253	3551586100403	6,0	0,68	4,0	379	1,2189	400
	550	500	3551586100204	3551586100254	3551586100404	6,4	0,74	4,3	410	1,2199	500
	600	550	3551586100205	3551586100255	3551586100405	6,9	0,80	4,6	441	1,2208	500
	750	700	3551586100206	3551586100256	3551586100406	8,2	0,98	5,6	534	1,2238	600
980	1000	950	3551586100207	3551586100257	3551586100407	10,4	1,27	7,1	712	1,2287	700
	400	350	3551586100208	3551586100258	3551586100408	6,3	0,70	4,2	388	1,2299	400
	450	400	3551586100209	3551586100259	3551586100409	6,8	0,77	4,6	427	1,2298	500
	500	450	3551586100210	3551586100260	3551586100410	7,4	0,84	4,9	466	1,2297	500
	550	500	3551586100211	3551586100261	3551586100411	7,9	0,91	5,3	505	1,2295	600
	600	550	3551586100212	3551586100262	3551586100412	8,4	0,98	5,7	543	1,2294	600
1160	750	700	3551586100213	3551586100263	3551586100413	10,0	1,19	6,8	660	1,2290	700
	1000	950	3551586100214	3551586100264	3551586100414	12,7	1,55	8,7	880	1,2283	900
	400	350	3551586100215	3551586100265	3551586100415	7,6	0,84	5,1	449	1,2404	500
	450	400	3551586100216	3551586100266	3551586100416	8,2	0,93	5,5	494	1,2393	600
	500	450	3551586100217	3551586100267	3551586100417	8,9	1,02	6,0	539	1,2383	600
	550	500	3551586100218	3551586100268	3551586100418	9,5	1,10	6,4	585	1,2373	700
1411	600	550	3551586100219	3551586100269	3551586100419	10,2	1,19	6,9	630	1,2362	700
	750	700	3551586100220	3551586100270	3551586100420	12,1	1,45	8,3	766	1,2331	900
	1000	950	3551586100221	3551586100271	3551586100421	15,4	1,88	10,5	1021	1,2279	1200
	400	350	3551586100222	3551586100272	3551586100422	9,4	1,00	6,3	541	1,2427	600
	450	400	3551586100223	3551586100273	3551586100423	10,2	1,69	6,9	596	1,2420	700
	500	450	3551586100224	3551586100274	3551586100424	11,1	1,27	7,5	651	1,2413	700
1600	550	500	3551586100225	3551586100275	3551586100425	11,9	1,38	8,1	706	1,2406	700
	600	550	3551586100226	3551586100276	3551586100426	12,7	1,49	8,6	762	1,2399	900
	750	700	3551586100227	3551586100277	3551586100427	15,2	1,82	10,4	927	1,2378	900
	1000	950	3551586100228	3551586100278	3551586100428	19,3	2,37	13,3	1236	1,2343	1200
	400	350	3551586100229	3551586100279	3551586100429	10,3	1,60	6,9	615	1,2445	700
	450	400	3551586100230	3551586100280	3551586100430	11,2	1,27	7,6	679	1,2440	700
1775	500	450	3551586100231	3551586100281	3551586100431	12,1	1,39	8,2	742	1,2436	900
	550	500	3551586100232	3551586100282	3551586100432	13,0	1,51	8,8	805	1,2431	900
	600	550	3551586100233	3551586100283	3551586100433	13,9	1,63	9,4	869	1,2427	900
	750	700	3551586100234	3551586100284	3551586100434	16,5	1,98	11,3	1058	1,2414	1200
	1000	950	3551586100235	3551586100285	3551586100435	21,0	2,57	14,4	1411	1,2392	1200
	400	350	3551586100236	3551586100286	3551586100436	11,6	1,30	7,8	691	1,2591	700
1775	450	400	3551586100237	3551586100287	3551586100437	12,6	1,43	8,5	761	1,2577	900
	500	450	3551586100238	3551586100288	3551586100438	13,6	1,57	9,2	832	1,2564	900
	550	500	3551586100239	3551586100289	3551586100439	14,6	1,71	9,9	903	1,2550	900
	600	550	3551586100240	3551586100290	3551586100440	15,6	1,83	10,6	974	1,2537	1200
	750	700	3551586100241	3551586100291	3551586100441	18,6	2,24	12,7	1187	1,2496	1200
	1000	950	3551586100242	3551586100292	3551586100442	23,6	2,90	16,3	1583	1,2428	1200

For output at different Δt than 50°C, please refer to the following formula: **desired output = output at Δt 50°C x (desired Δt/50)²**

**PROMOTION PACKAGES (STANDARD PIPE CENTRES)**

Height [mm]	Width [mm]	Art. nr. PACK	Art. nr. PACK
760	500	355158610020305	355158610020310
1160	450	355158610021605	355158610021610
1160	500	355158610021705	355158610021710
1160	550	355158610021805	355158610021810

Height [mm]	Width [mm]	Art. nr. PACK	Art. nr. PACK
1411	450	355158610022305	355158610022310
1411	500	355158610022405	355158610022410
1411	550	355158610022505	355158610022510
1775	500	355158610023805	355158610023810
1775	550	355158610023905	355158610023910
1775	600	355158610024005	355158610024010