



ELEN 18 ELECTRIC POLISHED STAINLESS STEEL



MATERIAL:

- Vertical collectors in polished stainless steel \varnothing 38 mm.
- Horizontal elements in polished stainless steel \varnothing 18 mm.
- Glycolate water.

FIXING KIT:

Brackets, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

The kit is certified from TÜV in compliance with VDI 6036-class 4. hollow brick walls, user notice.

PACKAGING:

The radiator is protected by recyclable carton box. User notice included.

FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

ACCESSORIES:

See Accessories chapter

| | |
|------------------|--|
| Electrical only: | <input checked="" type="checkbox"/> With TOP digital thermostat (1200 mm wire lenght with Schuko plug) |
|------------------|--|


| | | |
|---------------------------|-----------------------------------|-----------------------------|
| Class protection: CLASS 1 | Minimum ingress protection: IP 44 | Power supply: 230 V - 50 Hz |
|---------------------------|-----------------------------------|-----------------------------|

| |
|---|
| Seasonal energy efficiency η_s : 39% with TOP digital thermostat |
|---|

CERTIFICATIONS



HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2.

In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.



All Cordivari electric radiators are in line with the new European regulation UE 2015/1188. The new regulation imposes a seasonal energy efficiency of electrical appliances for ambient heating with a nominal thermal output over 250 W and not less than 38%.

The seasonal energy efficiency of ambient heating (η_s) is expressed with the ratio between the demand of ambient heating supplied by a heating appliance and the annual energy consumption required to meet this demand, expressed as percentage.

The Cordivari ErP is in line with the new Ecodesign directives, which are characterized by a great efficiency combined with the maximum attention to energy saving. In particular the radiators are at least equipped with: electronic temperature control; open window sensor; weekly program timer.

Thanks to the new fully programmable digital thermostats and sensors present on the radiators, now the new Cordivari ErP electric radiators, heat, efficiency and energy saving are the best allies of your comfort.

INCLUDED



Remote control of TOP
digital chrono-thermostat

Remote control of TOP
digital chrono-thermostat
functioning

ACCESSORIES



Kit 2 hooks-polished
stainless steel


Art. nr. 5991990010216




Towel bar-polished
stainless steel

WIDTH 440 mm


Art. nr. 5991990010221






27 ELEMENTS



47 ELEMENTS



63 ELEMENTS



The general footprint has to be calculated considering the thermostat height

ELEN 18 ELECTRIC - POLISHED STAINLESS STEEL (remote control included)

| Height [mm] | WIDTH L [mm] | Art. nr. | Output [Watt] | Weight [Kg] |
|----------------|-----------------|---------------|------------------|----------------|
| 760 | 500 | 3581440400041 | 400 | 14,0 |
| 1410 | 500 | 3581440400042 | 700 | 24,0 |
| 1885 | 600 | 3581440400043 | 900 | 32,0 |

Technical specification of thermostat see Accessories chapter