



CLAUDIA® BLOWER



MATERIAL:

- Vertical collectors in painted mild steel semi oval 30 x 40 mm.
- Horizontal heating elements in painted mild steel ø 25 mm.
- Glycolate water.

ELECTRIC MODULE FOR VENTILATED FUNCTION:

Power 1000 Watt - 230 V 50 Hz • On / Off Switch • Temperature settings: +10°C to +30°C

FIXING KIT:

Brackets, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

The kit is certified from TÜV in compliance with VDI 6036-class 4. hollow brick walls, user notice.

PACKAGING:

The radiator is protected by recyclable carton box. User notice included.

PAINTING PROCESS:

Painted with ecological epoxy powders. (Certificate DIN 55900-1,-2)

COLOURS:

Radiator and accessories: standard white colour RAL 9010-R01.
For other colours see Colour chart chapter.

ACCESSORIES:


See Accessories chapter

Electrical only:	<input checked="" type="checkbox"/> With BLOWER electric module for the ventilated function	Seasonal energy efficiency η_s : 40%
Class protection: CLASS 2	Minimum ingress protection: IP 24	Wire lenght: 800 mm with Schuko plug

CERTIFICATIONS



HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2.

In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.



All Cordivari electric radiators are in line with the new European regulation UE 2015/1188. The new regulation imposes a seasonal energy efficiency of electrical appliances for ambient heating with a nominal thermal output over 250 W and not less than 38%.

The seasonal energy efficiency of ambient heating (η_s) is expressed with the ratio between the demand of ambient heating supplied by a heating appliance and the annual energy consumption required to meet this demand, expressed as percentage.

The Cordivari ErP is in line with the new Ecodesign directives, which are characterized by a great efficiency combined with the maximum attention to energy saving. In particular the radiators are at least equipped with: electronic temperature control; open window sensor; weekly program timer.

Thanks to the new fully programmable digital thermostats and sensors present on the radiators, now the new Cordivari ErP electric radiators, heat, efficiency and energy saving are the best allies of your comfort.


ACCESSORIES

Wireless remote control



Remote control of "BLOWER" ventilated functioning


Art. nr. 515099000011



Kit 2 hooks painted mild steel - white R01

Art. nr. 5991990310028

If ordered separately from the radiator, the accessories are available in standard white only.




Towel bar painted mild steel-white R01

WIDTH 377 mm

Art. nr.	L
5991990310047	≥ 400 mm
5991990310029	≥ 500 mm
5991990310034	≥ 600 mm
5991990310030	≥ 750 mm

Accessories and spare parts - see Accessories chapter



CLAUDIA® BLOWER

Height [mm]	WIDTH L [mm]	Art. nr.	Output [Watt]	BLOWER Output [Watt]	Weight [Kg]
763	500	3581356100083	500	1000	17
1195	500	3581356100084	750	1000	24
1807	500	3581356100085	1000	1000	33



For the radiators manufactured in coloured version different from standard white the "Blower" electric module for ventilated function is provided in grey finishing.

ELECTRIC MODULE FOR THE VENTILATED FUNCTION:

- Ultra-discreet : Once integrated, the controller at the back of the heating body is aesthetically invisible
- Excellent ergonomic settings
- "Smart" electronic control : this means stable and accurate temperature in the bathroom all year round
- Energy Saving Pack
- Super comfort feature (automatic Boost): additional instantaneous heating, the hot air blower enables automatic and swift room temperature increase, after an Eco, Frost protection or Standby period
- Minimal thickness behind the towel rail
- Active memory: clock and settings are saved by EEPROM in case the mains power supply goes off

Art. nr. and price are referred to colour WHITE R01 - RAL 9010 version.