



NEW

# GLORIA 22 BLOWER



EUROPEAN  
WARRANTY

## MATERIAL:

- Vertical collectors in painted mild steel  $\varnothing$  30 mm.
- Horizontal heating elements in painted mild steel  $\varnothing$  22 mm.
- Glycolate water.

## ELECTRIC MODULE FOR VENTILATED FUNCTION:

Power 1000 Watt - 230 V 50 Hz • On / Off Switch • Temperature settings: +10°C to + 30°C

## FIXING KIT:

Brackets, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick walls, user notice.

The kit is certified from TÜV in compliance with VDI 6036-class 4. hollow brick walls, user notice.

## PACKAGING:

The radiator is protected by recyclable carton box. User notice included.

## PAINTING PROCESS:

Painted with ecological epoxy powders. (Certificate DIN 55900-1,-2)

## COLOURS:

Radiator and accessories: standard white colour RAL 9010-R01.  
For other colours see Colour chart chapter.

## ACCESSORIES:


See Accessories chapter

Electrical only:	<input checked="" type="checkbox"/> With BLOWER electric module for the ventilated function	Seasonal energy efficiency $\eta_s$ : 40%
Class protection: CLASS 2	Minimum ingress protection: IP 24	Wire lenght: 800 mm with Schuko plug

## CERTIFICATIONS



## HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2.

In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.



All Cordivari electric radiators are in line with the new European regulation UE 2015/1188. The new regulation imposes a seasonal energy efficiency of electrical appliances for ambient heating with a nominal thermal output over 250 W and not less than 38%.

The seasonal energy efficiency of ambient heating ( $\eta_s$ ) is expressed with the ratio between the demand of ambient heating supplied by a heating appliance and the annual energy consumption required to meet this demand, expressed as percentage.

The Cordivari ErP is in line with the new Ecodesign directives, which are characterized by a great efficiency combined with the maximum attention to energy saving. In particular the radiators are at least equipped with: electronic temperature control; open window sensor; weekly program timer.

Thanks to the new fully programmable digital thermostats and sensors present on the radiators, now the new Cordivari ErP electric radiators, heat, efficiency and energy saving are the best allies of your comfort.

## ACCESSORIES


### Wireless remote control



Remote control of  
"BLOWER" ventilated  
functioning

Art. nr. 515099000011

Accessories and spare parts - see Accessories chapter



## GLORIA 22 BLOWER

Height [mm]	WIDTH L [mm]	Art. nr.	Output [Watt]	BLOWER Output [Watt]	Weight [Kg]
<b>790</b>	480	3581666100020	500	1000	15
<b>1150</b>	530	3581666100021	750	1000	19
<b>1500</b>	530	3581666100022	1000	1000	24



For the radiators manufactured in coloured version different from standard white the "Blower" electric module for ventilated function is provided in grey finishing.

### ELECTRIC MODULE FOR THE VENTILATED FUNCTION:

- Ultra-discreet : Once integrated, the controller at the back of the heating body is aesthetically invisible
- Excellent ergonomic settings
- "Smart" electronic control : this means stable and accurate temperature in the bathroom all year round
- Energy Saving Pack
- Super comfort feature (automatic Boost): additional instantaneous heating, the hot air blower enables automatic and swift room temperature increase, after an Eco, Frost protection or Standby period
- Minimal thickness behind the towel rail
- Active memory: clock and settings are saved by EEPROM in case the mains power supply goes off

Art. nr. and price are referred to colour WHITE R01 - RAL 9010 version.