



GIADA SATIN STAINLESS STEEL HORIZONTAL



WARRANTY
10 YEARS

MATERIAL:

- Vertical collectors in satin stainless steel, \varnothing 38 mm.
- Horizontal elements in satin stainless steel \varnothing 18 mm.

FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, user notice.

The kit is certified from TÜV in compliance with VDI 6036-class 4.

PACKAGING:

Carton angular and profiles protected by a recyclable film in polyethylene. User notice included.

FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.

ACCESSORIES


See Accessories chapter

P. Max: 8 bar	Functioning: hot water	T. Max: 110° C	Connections: 2 x 1/2" gas - 1 x 1/2" gas for airvent
---------------	------------------------	----------------	--


WIDTH L [mm]	400	500	600	800	1000	1200	1400	1500	1600
Dry Weight per section [kg]	0,277	0,327	0,377	0,477	0,576	0,676	0,775	0,826	0,875
Element Water content [lt]	0,147	0,167	0,186	0,225	0,263	0,301	0,339	0,357	0,377
Element surface [m2]	0,029	0,035	0,04	0,051	0,063	0,074	0,085	0,089	0,096
Pipe Centres I [mm] (H1 only)	342	442	542	742	942	1142	1342	1442	1542

For output at different Δt than 50°C, please refer to the following formula:
desired output = output at Δt 50°C x (desired Δt /50)ⁿ


WIDTH L [mm]	1700	1800	1900	2000
Dry Weight per section [kg]	0,924	0,974	1,024	1,074
Element Water content [lt]	0,397	0,416	0,435	0,454
Element surface [m2]	0,103	0,108	0,113	0,119
Pipe Centres I [mm] (H1 only)	1642	1742	1842	1942



Quotes for Kristal valves



STANDARD CONNECTIONS WITHOUT SURCHARGE



SPECIAL CONNECTIONS (WITH SURCHARGE)



Legenda=

▶ In ▷ Out ≡ Airvent H Height I Pipe Centres L WIDTH □ Sleeve

Always specify the kind of connection needed when ordering.
Bidirectional pipe connection not available

HOW TO ORDER THE RADIATOR GIADA SATIN STAINLESS STEEL HORIZONTAL

ARTICLE NR. STRUCTURE	Radiator model	Elements nr.	WIDTH in cm	Article code of the connection	Art. nr. finishing	Constant value
AAAA	BB	CCC	DDD	EEE	A	

EXAMPLE	Radiator model E.g.: Giada horizontal	Numero elements E.g.: 24 elements	WIDTH in cm Example: 1200 mm	Article code of the connection Example: connection H1	Art. nr. finishing E.g.: satin stainless steel	Constant value
GI18	24	120	H01	X02	A	

EXAMPLE OF ARTICLE CODE CREATION

In the case of a radiator:

GI18 GIADA HORIZONTAL

24 24 elements (see the table shown on the side)

120 WIDTH 1200 mm (see the table shown on the side)

H01 connection H1

X02 finishing: satin stainless steel

A (Constant value)

The article code will be:

GI18 24 120 H01 X02 A

ACCESSORIES

Kristal valve square with thermostatic option-satin



Copper conn. \varnothing 12/14/15
Art. nr. 5991990321143

Multilayer conn. \varnothing 16
Art. nr. 5991990321144

Kristal valve corner with thermostatic option-satin



Copper conn. \varnothing 12/14/15
Art. nr. 5991990321134

Multilayer conn. \varnothing 16
Art. nr. 5991990321133

Kit 2 hooks-satin stainless steel



Art. nr. 5991990010222

GIADA SATIN STAINLESS STEEL HORIZONTAL

INOX RANGE

All intermediate sizes are available for widths from 5 to 44 elements and heights from 400 to 2000 mm

WIDTH L [mm]		400	500	600	800	1000	1200	1400	1500	1600	Exp. n
Height H [mm]	N° El.	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	
136	5	57	71	85	114	142	171	199	213	228	1,2012
161	6	68	85	102	137	171	205	239	256	273	1,2018
186	7	80	100	120	160	200	240	280	300	320	1,2024
211	8	92	114	137	183	229	275	320	343	366	1,2029
236	9	103	129	155	206	258	310	361	387	413	1,2035
261	10	115	144	173	230	288	345	403	431	460	1,2041
286	11	127	158	190	254	317	380	444	475	507	1,2047
311	12	138	173	208	277	346	415	484	519	554	1,2052
336	13	150	188	226	301	376	451	526	564	602	1,2058
361	14	162	203	243	324	405	486	567	608	648	1,2064
386	15	174	218	261	348	435	522	609	653	696	1,2069
411	16	186	232	278	371	464	557	650	696	742	1,2075
436	17	198	247	296	395	494	593	692	741	790	1,2081
461	18	209	262	314	418	523	628	732	785	837	1,2087
486	19	221	276	331	442	552	662	773	828	883	1,2092
511	20	232	291	349	465	581	697	813	872	930	1,2098
536	21	244	305	366	488	610	732	854	915	976	1,2104
561	22	256	320	383	511	639	767	895	959	1022	1,2110
586	23	267	334	401	534	668	802	935	1002	1069	1,2115
611	24	279	349	418	558	697	836	976	1046	1115	1,2121
636	25	290	363	435	580	725	870	1015	1088	1160	1,2127
661	26	302	377	452	603	754	905	1056	1131	1206	1,2133
686	27	313	391	469	626	782	938	1095	1173	1251	1,2138
711	28	324	406	487	649	811	973	1135	1217	1298	1,2144
736	29	336	420	503	671	839	1007	1175	1259	1342	1,2150
761	30	347	434	520	694	867	1040	1214	1301	1387	1,2156
786	31	358	447	536	715	894	1073	1252	1341	1430	1,2162
811	32	369	461	553	738	922	1106	1291	1383	1475	1,2168
836	33	380	475	570	760	950	1140	1330	1425	1520	1,2174
861	34	391	489	586	782	977	1172	1368	1466	1563	1,2180
886	35	402	502	602	803	1004	1205	1406	1506	1606	1,2186
911	36	412	516	619	825	1031	1237	1443	1547	1650	1,2192
936	37	423	529	635	846	1058	1269	1481	1587	1693	1,2198
961	38	435	544	652	870	1087	1305	1522	1631	1740	1,2204
986	39	444	556	667	889	1111	1333	1556	1667	1778	1,2210
1011	40	455	569	683	910	1138	1365	1593	1706	1820	1,2216
1061	42	476	595	714	952	1190	1428	1666	1785	1904	1,2228
1111	44	497	621	745	993	1241	1490	1738	1862	1986	1,2240

WIDTH L [mm]		1700	1800	1900	2000	Exp. n
Height H [mm]	N° El.	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	Watt $\Delta t=50^{\circ}\text{C}$	
136	5	242	256	270	284	1,2012
161	6	290	307	325	342	1,2018
186	7	339	359	379	399	1,2024
211	8	389	412	435	458	1,2029
236	9	439	465	490	516	1,2035
261	10	489	518	546	575	1,2041
286	11	539	570	602	634	1,2047
311	12	588	623	657	692	1,2052
336	13	639	677	714	752	1,2058
361	14	689	729	770	810	1,2064
386	15	740	783	827	870	1,2069
411	16	789	835	882	928	1,2075
436	17	840	889	939	988	1,2081
461	18	889	941	994	1046	1,2087
486	19	938	994	1049	1104	1,2092
511	20	988	1046	1104	1162	1,2098
536	21	1037	1098	1159	1220	1,2104
561	22	1086	1150	1214	1278	1,2110
586	23	1136	1202	1269	1336	1,2115
611	24	1185	1255	1324	1394	1,2121
636	25	1233	1305	1378	1450	1,2127
661	26	1282	1357	1433	1508	1,2133
686	27	1329	1408	1486	1564	1,2138
711	28	1379	1460	1541	1622	1,2144
736	29	1426	1510	1594	1678	1,2150
761	30	1474	1561	1647	1734	1,2156
786	31	1520	1609	1699	1788	1,2162
811	32	1567	1660	1752	1844	1,2168
836	33	1615	1710	1805	1900	1,2174
861	34	1661	1759	1856	1954	1,2180
886	35	1707	1807	1908	2008	1,2186
911	36	1753	1856	1959	2062	1,2192
936	37	1798	1904	2010	2116	1,2198
961	38	1849	1957	2066	2175	1,2204
986	39	1899	2000	2111	2222	1,2210
1011	40	1934	2048	2161	2275	1,2216
1061	42	2023	2142	2261	2380	1,2228
1111	44	2110	2235	2359	2483	1,2240

ARDESIA®

TOWEL RAILS

ELECTRIC RADIATORS
AND FAN HEATER

INOX RANGE

LIVING
DESIGN RADIATORS

VENTILATED
RADIATORS

MODELS FOR
REPLACEMENT

MY WAY®
SYSTEM

ACCESSORIES
AND TECHNICAL
SUPPORT